



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/749,378	01/02/2004	Kobayashi Shozo	1594.1303	9137	
21171 75	590 03/23/2005		EXAM	EXAMINER	
STAAS & HALSEY LLP			LEUNG, PHILIP H		
SUITE 700 1201 NEW YO	RK AVENUE, N.W.		ART UNIT	PAPER NUMBER	
WASHINGTO	-	•	3742		

DATE MAILED: 03/23/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)	
Office Action Summary		10/749,378	SHOZO ET AL.	67
		Examiner	Art Unit	
		Philip H Leung	3742	
Period f	The MAILING DATE of this communication a or Reply	appears on the cover sheet w	ith the correspondence addres	SS
THE - Extra after - If th - If N - Fail	HORTENED STATUTORY PERIOD FOR REF MAILING DATE OF THIS COMMUNICATION ensions of time may be available under the provisions of 37 CFR or SIX (6) MONTHS from the mailing date of this communication, are period for reply specified above is less than thirty (30) days, are poperiod for reply is specified above, the maximum statutory period ure to reply within the set or extended period for reply will, by state treply received by the Office later than three months after the managed patent term adjustment. See 37 CFR 1.704(b).	N. 1.136(a). In no event, however, may a reply within the statutory minimum of third will apply and will expire SIX (6) MON tute, cause the application to become AE	reply be timely filed ty (30) days will be considered timely. ITHS from the mailing date of this commu BANDONED (35 U.S.C. § 133).	unication.
Status				
1)[🛛	Responsive to communication(s) filed on 21	December 2004.		
2a)⊠		his action is non-final.		
3)□	Since this application is in condition for allow closed in accordance with the practice under			erits is
Disposi	tion of Claims			
5)□ 6)⊠	Claim(s) <u>1-26</u> is/are pending in the application 4a) Of the above claim(s) is/are with declaim(s) is/are allowed. Claim(s) <u>1-7, 9-14, 20-23, 25 and 26</u> is/are reclaim(s) <u>8,15-19 and 24</u> is/are objected to. Claim(s) are subject to restriction and	rawn from consideration.		
Applicat	ion Papers			
9)[The specification is objected to by the Exami	ner.		
10)	The drawing(s) filed on is/are: a) a	ccepted or b) objected to	by the Examiner.	
	Applicant may not request that any objection to the			
11)	Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the		· · · · · · · · · · · · · · · · · · ·	
Priority	under 35 U.S.C. § 119			
12) a)	Acknowledgment is made of a claim for foreign All b) Some * c) None of: 1. Certified copies of the priority docume 2. Certified copies of the priority docume 3. Copies of the certified copies of the priority docume application from the International Bure See the attached detailed Office action for a li	ents have been received. Ents have been received in A Tiority documents have been Eau (PCT Rule 17.2(a)).	pplication No received in this National Sta	ge
Attachmer	` '			
	ce of References Cited (PTO-892) ce of Draftsperson's Patent Drawing Review (PTO-948)		Summary (PTO-413) s)/Mail Date	
3) 🔲 Infor	mation Disclosure Statement(s) (PTO-1449 or PTO/SB/0 or No(s)/Mail Date	_	nformal Patent Application (PTO-152	!)

Page 2

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claims 1, 3, 25 and 26 are rejected under 35 U.S.C. 102(b) as being anticipated by Tanaka et al (US 4,337,384) (previously cited).

Tanaka shows a microwave convectional oven comprising a cabinet 1 to define a cooking cavity 2 therein, the cooking cavity being open at a front thereof, a fan chamber 20 defined by recessing a rear wall 19 of the cooking cavity at a predetermined area to a predetermined depth; an air circulation fan 17 installed in the fan chamber to circulate air of the cooking cavity, a heater 15 installed in the fan chamber to heat the air; and a chamber cover 18 mounted to the rear wall of the cooking cavity to cover an open front of the fan chamber, the chamber cover having a plurality of air suction ports 21 at a central area thereof, with a plurality of air distribution ports 22 provided along an edge of the chamber cover to guide the air from the fan chamber to the edge of the chamber cover to discharge the air to the cooking cavity (see Figures 2, 3 and 6-9 and col. 3, line 47 – col. 4, line 2). In regard to claim 26, see the abstract, lines 7-10 and col. 2, lines 20-28).

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 2 are rejected under 35 U.S.C. 103(a) as being obvious over Tanaka et al (US 4,337,384), in view of McFadden et al (US 6,376,817) (previously cited).

As set forth above, Tanaka shows every feature as claimed except for the shape of the air distribution ports. McFadden shows that it is well known in the art of microwave convectional ovens to form the air distribution ports in the shape of protuberant nozzles 26 to increase air speed toward the food more directly (see Figure 1, col. 6, lines 10-67 and col. 7, lines 41-56). It would have been obvious to an ordinary skill in the art at the time of invention to modify Tanaka to use protuberant nozzles as air distribution ports for better heating efficiency and better baking result, in view of the teaching of McFadden.

5. Claims 4, 6, 7, 9-12 and 23 are rejected under 35 U.S.C. 103(a) as being obvious over Tanaka et al (US 4,337,384), in view of Takakura (JP 56-102623) (previously cited).

As set forth above, Tanaka shows every feature as claimed except for the use of a coating on the chamber surfaces. Takakura shows that it is well known in the art of microwave ovens to coat the oven chamber surfaces with an insulating material to prevent generation of sparks in the oven (see Figure 1 and the English abstract). It would have been obvious to an ordinary skill in the art at the time of invention to modify Tanaka to use a coating on the chamber surfaces to reduce sparks for a safer microwave cooking device, in view of the

teaching of Takakura. In regard to claims 6, 7 and 12, Tanaka also shows the use of setscrews for mounting the fan assembly (see Figure 3). The exact arrangement would be a matter of engineering variations. In regard to claim 23, Tanaka shows the use of a fan for cooling the magnetron 34 and the transformer of a microwave oven to be routine (see Figures 3, 5 and 6).

6. Claim 5 is rejected under 35 U.S.C. 103(a) as being unpatentable over Tanaka et al (US 4,337,384), in view of Takakura (JP 56-102623), as applied to claims 4, 6, 7, 9-12 and 23 above, and further in view of McFadden et al (US 6,376,817).

As set forth above, Tanaka combined with Takakura shows every feature as claimed except for the shape of the air distribution ports. McFadden shows that it is well known in the art of microwave convectional ovens to form the air distribution ports in the shape of protuberant nozzles 26 to increase air speed toward the food more directly (see Figure 1, col. 6, lines 10-67 and col. 7, lines 41-56). It would have been obvious to an ordinary skill in the art at the time of invention to modify Tanaka to use protuberant nozzles as air distribution ports for better heating efficiency and better baking result, in view of the teaching of McFadden.

7. Claims 13 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tanaka et al (US 4,337,384), in view of Takakura (JP 56-102623), as applied to claims 4, 6, 7, 9-12 and 23 above, and further in view of Yasuoka (US 3,692,968) (previously cited).

As set forth above, Tanaka combined with Takakura shows every feature as claimed except for the use of a mode stirrer. Yasuoka shows that it is well known in the art of microwave ovens to use a mode stirrer for stirring the microwave supplied from the magnetron

to the cooking chamber (see Figures 1 and 4 and col. 2, line 58 - col. 3, line 3). It would have been obvious to an ordinary skill in the art at the time of invention to modify Tanaka to use a rotating stirrer for stirring the microwave radiation pattern for more uniform and better cooking result, in view of the teaching of Yasuoka.

8. Claims 20-22 are rejected under 35 U.S.C. 103(a) as being obvious over Tanaka et al (US 4,337,384), in view of Fleiter et al (US 4,970,372) (previously cited).

As set forth above, Tanaka shows every feature as claimed except for the use of a heat shield mounted on the outer surface of the cooking chamber. Fleiter shows that it is well known in the art of convectional ovens to use a heat shield 14 between the fan motor12 and the fan chamber 10 to protect the motor (see the Figure and col. 3, lines 32-46). It would have been obvious to an ordinary skill in the art at the time of invention to modify Tanaka to use a heat shield to protect the motor from overheating, in view of the teaching of Fleiter.

- 9. Claims 8, 15-19 and 24 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.
- 10. Applicant's arguments filed 12-21-2004 have been fully considered but they are not persuasive. The argument that Tanaka does not show the "plurality of air distribution ports provided along an edge of the chamber cover" is not well taken. The applicant's allegation that "the outlet perforations 22 are not provided along an edge of the partitioning wall 18" is not

understood. Although all of the perforations 22 are not on the edge of the wall 18, it is clear that the perforations 22 include many holes on the edge of the wall 18 as shown in Figures 4 and 5. It is pointed out that is what claim 1 calls for. As long as there are two ports provided on the edge, the claimed limitation is met. There is no requirement that all the ports are provided on the edge of the cover. In regard to claim 2, the argument that "the directing means 26 of McFadden are not the same as the claimed protuberant parts" is a mere conclusion statement without pointing out the differences between the reference and the claim and therefore not persuasive.

Furthermore, Takakura clearly teaches the use of a coating on all inner wall surfaces of a microwave oven heating chamber to prevent sparks to be well known. To apply this well known practices on any wall surfaces that are subject to microwave radiation to prevent sparks would have been readily obvious to an ordinary artisan, in view of the teaching of Takakura.

11. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Philip H Leung whose telephone number is (571) 272-4782.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robin Evans can be reached on (571) 472-4777. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Philip H Leung

Primary Examiner
Art Unit 3742

P.Leung/pl 3-17-2005